Claims of the Application:

- 1. (Currently amended) A solid dosage form comprising:
- (a) a core comprising an acid-sensitive antidepressant active ingredient;
- (b) a subcoating upon the core comprising a substance having an amino group that reacts with acidic functional groups; and
- (c) an acidic functional group-containing enteric coating over the subcoating; wherein a subcoating inhibits interactions between active ingredient and an enteric coating.

2-3. (Canceled)

- 4. (Original) The solid dosage form of claim 1, wherein the substance that reacts with acidic functional groups comprises an α -amino acid.
- 5. (Original) The solid dosage form of claim 1, wherein the substance that reacts with acidic functional groups is selected from glycine, alanine, valine, leucine, isoleucine, serine, threonine, methionine, cysteine, aspartic acid, asparagine, glutamic acid, glutamine, arginine, lysine, histadine, phenylalanine, tyrosine, tryptophan, and proline.
- 6. (Original) The solid dosage form of claim 1, wherein the substance that reacts with acidic functional groups comprises about 0.1 to about 12 percent of the dosage form weight.
- 7. (Original) The solid dosage form of claim 1, wherein the substance that reacts with acidic functional groups comprises about 0.5 to about 9 percent of the dosage form weight.
- 8. (Original) The solid dosage form of claim 1, wherein the substance that reacts with acidic functional groups comprises about 0.7 to about 7 percent of the dosage form weight.

9-11. (Canceled)

12. (Currently amended) A solid dosage form comprising:

- (a) a core comprising an acid-sensitive antidepressant active ingredient having an amino group;
 - (b) a subcoating upon the core comprising an α -amino acid; and
- (c) an acidic functional group-containing component in an enteric coating over the subcoating;

wherein a subcoating inhibits interactions between active ingredient and an enteric coating.

- 13. (Original) The solid dosage form of claim 12, wherein the substance that reacts with acidic functional groups is selected from glycine, alanine, valine, leucine, isoleucine, serine, threonine, methionine, cysteine, aspartic acid, asparagine, glutamic acid, glutamine, arginine, lysine, histadine, phenylalanine, tyrosine, tryptophan, and proline.
- 14. (Original) The solid dosage form of claim 12, wherein a reaction product of the α -amino acid with the acidic functional group-containing component is water-soluble.
- 15. (Original) The solid dosage form of claim 12, wherein the amino acid comprises about 0.1 to about 12 percent of the dosage form weight.
- 16. (Original) The solid dosage form of claim 12, wherein the amino acid comprises about 0.5 to about 9 percent of the dosage form weight.
- 17. (Original) The solid dosage form of claim 12, wherein the amino acid comprises about 0.7 to about 7 percent of the dosage form weight.
 - 18. (Currently amended) A solid dosage form comprising:
- (a) a core comprising an acid-sensitive antidepressant active ingredient having an amino group;
 - (b) a subcoating upon the core comprising glycine; and
- (c) an enteric coating, comprising an acidic functional group-containing component, over the subcoating;

wherein a subcoating inhibits interactions between active ingredient and an enteric coating.

19-20. (Canceled)

- 21. (Previously presented) The solid dosage form of claim 1, wherein the antidepressant active ingredient has an amino group.
- 22. (Previously presented) The solid dosage form of claim 1, wherein an antidepressant active ingredient is one of amitryptyline, amoxapine, bupropion, desipramine, doxepin, duloxetine, fluoxetine, fluvoxamine, imipramine, maprotiline, mirtazapine, nefazodone, nortriptyline, paroxetine, phenelzine, protriptyline, sertraline, tranylcypromine, trazodone, trimipramine, venlafaxine, or any pharmaceutically acceptable salt thereof.
- 23. (Previously presented) The solid dosage form of claim 12, wherein an antidepressant active ingredient is one of amitryptyline, amoxapine, bupropion, desipramine, doxepin, duloxetine, fluoxetine, fluvoxamine, imipramine, maprotiline, mirtazapine, nefazodone, nortriptyline, paroxetine, phenelzine, protriptyline, sertraline, tranylcypromine, trazodone, trimipramine, venlafaxine, or any pharmaceutically acceptable salt thereof.
- 24. (Previously presented) The solid dosage form of claim 18, wherein an antidepressant active ingredient is one of amitryptyline, amoxapine, bupropion, desipramine, doxepin, duloxetine, fluoxetine, fluvoxamine, imipramine, maprotiline, mirtazapine, nefazodone, nortriptyline, paroxetine, phenelzine, protriptyline, sertraline, tranylcypromine, trazodone, trimipramine, venlafaxine, or any pharmaceutically acceptable salt thereof.